

2024



**Changzhou Meditech Technology Co., Ltd.**

Address: 9th. Floor, Inno Laser Building, Science & Education Town, Wujin District,  
Changzhou City, Jiangsu Province, China. PC: 213164

Website: [www.czmeditech.com](http://www.czmeditech.com)

Tel/Fax: +86-519-85855955

# INTRAMEDULLARY NAIL

## PRODUCT CATALOG

 [www.czmeditech.com](http://www.czmeditech.com)

Intramedullary Nail



REF(Titanium Alloy)	Specification	REF(Titanium Alloy)	Specification	REF(Titanium Alloy)	Specification
T1100-2101	Φ9.4x139	T1100-2125	Φ9.4x300R	T1100-2151	Φ11x420L
T1100-2102	Φ9.4x200	T1100-2126	Φ9.4x400R	T1100-2153	Φ11x300R
T1100-2103	Φ9.4x240	T1100-2127	Φ9.4x420R	T1100-2154	Φ11x120R
T1100-2104	Φ10x190	T1100-2129	Φ10x300L	T1100-2155	Φ11x340R
T1100-2105	Φ10x200	T1100-2130	Φ10x320L	T1100-2156	Φ11x360R
T1100-2106	Φ10x240	T1100-2131	Φ10x340L	T1100-2157	Φ11x380R
T1100-2107	Φ11x190	T1100-2132	Φ10x360L	T1100-2158	Φ11x400R
T1100-2108	Φ11x200	T1100-2133	Φ10x380L	T1100-2159	Φ11x420R
T1100-2109	Φ11x240	T1100-2134	Φ10x400L	T1100-2161	Φ12x300L
T1100-2110	Φ12x190	T1100-2135	Φ10x420L	T1100-2162	Φ12x320L
T1100-2111	Φ12x200	T1100-2137	Φ10x300R	T1100-2163	Φ12x340L
T1100-2112	Φ12x240	T1100-2138	Φ10x320R	T1100-2164	Φ12x360L
T1100-2113	Φ9.4x300L	T1100-2139	Φ10x340R	T1100-2165	Φ12x380L
T1100-2114	Φ9.4x320L	T1100-2140	Φ10x360R	T1100-2166	Φ12x400L
T1100-2115	Φ9.4x340L	T1100-2141	Φ10x380R	T1100-2167	Φ12x420L
T1100-2116	Φ9.4x360L	T1100-2142	Φ10x400R	T1100-2169	Φ12x300R
T1100-2117	Φ9.4x380L	T1100-2143	Φ10x420R	T1100-2170	Φ12x320R
T1100-2118	Φ9.4x400L	T1100-2145	Φ11x300L	T1100-2171	Φ12x340R
T1100-2119	Φ9.4x420L	T1100-2146	Φ11x320L	T1100-2172	Φ12x360R
T1100-2121	Φ9.4x300R	T1100-2147	Φ11x340L	T1100-2173	Φ12x380R
T1100-2122	Φ9.4x320R	T1100-2148	Φ11x360L	T1100-2174	Φ12x400R
T1100-2123	Φ9.4x340R	T1100-2149	Φ11x380L	T1100-2175	Φ12x420R
T1100-2124	Φ9.4x360R	T1100-2150	Φ11x400L		

7.0mm Locking Screw



REF(Titanium Alloy)	Specification	REF(Titanium Alloy)	Specification
T1100-2201	7.0*85	T1100-2207	7.0*95
T1100-2202	7.0*70	T1100-2208	7.0*100
T1100-2203	7.0*75	T1100-2209	7.0*105
T1100-2204	7.0*80	T1100-2210	7.0*110
T1100-2205	7.0*85	T1100-2211	7.0*115
T1100-2206	7.0*90		

11mm Blade Screw



REF(Titanium Alloy)	Specification	REF(Titanium Alloy)	Specification
T1100-2301	11*70	T1100-2307	11*100
T1100-2302	11*75	T1100-2308	11*105
T1100-2303	11*80	T1100-2309	11*110
T1100-2304	11*85	T1100-2310	11*115
T1100-2305	11*90	T1100-2311	11*120
T1100-2306	11*95		

11mm Lag Screw



REF(Titanium Alloy)	Specification	REF(Titanium Alloy)	Specification
T1100-3401	11*70	T1100-3407	11*100
T1100-3402	11*75	T1100-3408	11*105
T1100-3403	11*80	T1100-3409	11*110
T1100-3404	11*85	T1100-3410	11*115
T1100-3405	11*90	T1100-3411	11*120
T1100-3406	11*95		

5.0mm Locking Screw



REF(Titanium Alloy)	Specification	REF(Titanium Alloy)	Specification
T1100-2501	5.0*30	T1100-2507	5.0*60
T1100-2502	5.0*35	T1100-2508	5.0*65
T1100-2503	5.0*40	T1100-2509	5.0*70
T1100-2504	5.0*45	T1100-2510	5.0*75
T1100-2505	5.0*50	T1100-2511	5.0*80
T1100-2506	5.0*55		

Multi-lock Humeral Intramedullary Nail



REF(Titanium Alloy)	Specification	REF(Titanium Alloy)	Specification
T1100-2601	8.5*160L	T1100-2614	7.0*300R
T1100-2602	8.5*160R	T1100-2615	8.0*300L
T1100-2603	7.0*200L	T1100-2616	8.0*220L
T1100-2604	7.0*220L	T1100-2617	8.0*240L
T1100-2605	7.0*240L	T1100-2618	8.0*260L
T1100-2606	7.0*260L	T1100-2619	8.0*280L
T1100-2607	7.0*280L	T1100-2620	8.0*300L
T1100-2608	7.0*300L	T1100-2621	8.0*320R
T1100-2609	7.0*300R	T1100-2622	8.0*320R
T1100-2610	7.0*220R	T1100-2623	8.0*240R
T1100-2611	7.0*240R	T1100-2624	8.0*260R
T1100-2612	7.0*260R	T1100-2625	8.0*280R
T1100-2613	7.0*280R	T1100-2626	8.0*300R

4.5mm Multi-lock Screw



REF(Titanium Alloy)	Specification	REF(Titanium Alloy)	Specification
T1100-2701	4.5*20	T1100-2712	4.5*42
T1100-2702	4.5*22	T1100-2713	4.5*44
T1100-2703	4.5*24	T1100-2714	4.5*46
T1100-2704	4.5*26	T1100-2715	4.5*48
T1100-2705	4.5*28	T1100-2716	4.5*50
T1100-2706	4.5*30	T1100-2717	4.5*52
T1100-2707	4.5*32	T1100-2718	4.5*54
T1100-2708	4.5*34	T1100-2719	4.5*56
T1100-2709	4.5*36	T1100-2720	4.5*58
T1100-2710	4.5*38	T1100-2721	4.5*60
T1100-2711	4.5*40		

3.5mm Inside Locking Screw







REF(Titanium Alloy)	Specification	REF(Titanium Alloy)	Specification
T1100-2801	3.5*26	T1100-2808	3.5*40
T1100-2802	3.5*28	T1100-2809	3.5*42
T1100-2803	3.5*30	T1100-2810	3.5*44
T1100-2804	3.5*32	T1100-2811	3.5*46
T1100-2805	3.5*34	T1100-2812	3.5*48
T1100-2806	3.5*36	T1100-2813	3.5*50
T1100-2807	3.5*38	T1100-2814	3.5*52

3.5mm Locking Screw






REF(Titanium Alloy)	Specification	REF(Titanium Alloy)	Specification
T1100-2901	3.5*20	T1100-2913	3.5*44
T1100-2902	3.5*22	T1100-2914	3.5*46
T1100-2903	3.5*24	T1100-2915	3.5*48
T1100-2904	3.5*26	T1100-2916	3.5*50
T1100-2905	3.5*28	T1100-2917	3.5*52
T1100-2906	3.5*30	T1100-2918	3.5*54
T1100-2907	3.5*32	T1100-2919	3.5*56
T1100-2908	3.5*34	T1100-2920	3.5*58
T1100-2909	3.5*36	T1100-2921	3.5*60
T1100-2910	3.5*38	T1100-2922	3.5*62
T1100-2911	3.5*40	T1100-2923	3.5*64
T1100-2912	3.5*42	T1100-2924	3.5*66

**Intertan Intramedullary Nail Instrument Set 1200-13**



NO	REF	Description	Qty
1	1200-1301	Drill Bit $\phi 4.0^{\circ}300$	2
2	1200-1302	Drill Bit With Limiter $\phi 4.0^{\circ}300$	1
3	1200-1303	Nail Pull Device M10*1	1
4	1200-1304	Compression Anti-rotation Forcep SW5.0/M3.5	1
5	1200-1305	Hex Key SW3	1
6	1200-1306	Proximal Bolt Universal Wrench SW6.5	1
7	1200-1307	Proximal Cannulated Tap	1
8	1200-1308	Connector M10*1/SW11	1
9	1200-1309	T-handle Screwdriver SW3.5	1
10	1200-1310	Open Saper SW11	1
11	1200-1311	Flat Drill $\phi 5.2$	1
12	1200-1312	Drill Bit $\phi 5.2$	1
13	1200-1313	Cannulated Reduction Rod	1
14	1200-1314	End Cap Screwdriver SW5.0	1
15	1200-1315	Universal Screwdriver SW5.0	1
16	1200-1316	Proximal Limited Cannulated Drill $\phi 3.2/\phi 11.2$	1
17	1200-1317	Flexible Reamer $\phi 13$	1
18	1200-1318	Flexible Reamer $\phi 12$	1
19	1200-1319	Adaptor	1
20	1200-1320	Cannulated AWL	1
21	1200-1321	Soft Tissue Protector	1
22	1200-1322	Depth Gauge	1
23	1200-1323	Screwdriver SW3.5	1
24	1200-1324	Proximal Cortical Cannulated Drill $\phi 3.2/\phi 11.2$	1
25	1200-1325	Flexible Reamer $\phi 11$	1
26	1200-1326	Flexible Reamer $\phi 10$	1
27	1200-1327	Flexible Reamer $\phi 9$	1
28	1200-1328	Proximal Guide/Distal Static	1
29	1200-1329	Distal $90^{\circ}$ Static Guide	1
30	1200-1330	Distal Dynamic Guide	1
31	1200-1331	Connector Wrench SW6.5	1
32	1200-1332	Connect Bolt M10*1/SW6.5	1
33	1200-1333	Connect Bolt M10*1/SW6.5	1
34	1200-1334	Proximal Cannulated Drill $\phi 17.5/\phi 3.2$	1
35	1200-1335	Proximal Compression Cortical Sleeve	1
36	1200-1336	Wire Depth Gauge $\phi 3.2$	1
37	1200-1337	Distal Guide Rod	1
38	1200-1338	Bolt M8*1/SWS	1
39	1200-1339	Distal Guide Rod Connector	1
40	1200-1340	Bolt M8*1/SWS	1
41	1200-1341	Bolt M8*1/SWS	1
42	1200-1342	Distal Guide Location Device L	1
43	1200-1343	Bolt M8*1/SWS	1
44	1200-1344	Distal Guide Location Device R	1
45	1200-1345	Hex Key SW5	1
46	1200-1346	Handle	1
47	1200-1347	Compression Drill Bit $\phi 7.0/\phi 7.8$	1
48	1200-1348	Compression Drill Bit $\phi 7.8$	1
49	1200-1349	Connect Clamp	1
50	1200-1350	Location Rod	1
51	1200-1351	Distal Locking Sleeve $\phi 11/\phi 6.2/\phi 4.0$	1
52	1200-1352	Distal Locking Sleeve $\phi 11/\phi 6.2/\phi 4.0$	1
53	1200-1353	Proximal Drill Location Device	1
54	1200-1354	Temporary Location Rod $\phi 4.0$	1
55	1200-1355	Guide Pin Sleeve $\phi 3.0/\phi 11.2$	1
56	1200-1356	Femur Neck Compression Bolt	1
57	1200-1357	Femur Neck Lag Screw Wrench	1
58	1200-1358	Clean Style $\phi 3.0$	1
59	1200-1359	Threaded Guide Pin $\phi 3.2^{\circ}400$	5
60	1200-1360	Sliding Hammer	1
61	1200-1361	Location Sleeve Rod	1
62	1200-1362	Location Rod Sleeve	1
63	1200-1363	Location Drill Sleeve	1
64	1200-1364	Protective Sleeve+Guide Pin Sleeve	1
65	1200-1365	Olive Guide Wire	1
66	1200-1366	Guide Wire Holder	1
67	1200-1367	T-handle Quick Coupling	1
68	1200-1368	Aluminum Box	1

**Hindfoot Fusion Ankle Nail 1200-16**



NO	REF	Description	Qty
1	1200-1601	4.3mm Sleeve $\phi 10/\phi 8/\phi 4.3$	1
1.1	1200-1601-1	Sleeve $\phi 10/\phi 8$ 127	1
1.2	1200-1601-2	$\phi 8/\phi 4.3$ Drill Sleeve	1
1.3	1200-1601-3	4.3mm Skin separator	1
2	1200-1602	4.8mm Sleeve $\phi 10/\phi 8/\phi 4.8$	1
2.1	1200-1602-1	$\phi 6/\phi 4.8$ Drill Sleeve	1
2.2	1200-1602-2	4.8mm Skin separator	1
3	1200-1603	T-handle Quick Coupling	1
4	1200-1604	Drill Guide	1
5	1200-1605	Cannulated AWL	1
6	1200-1606	Countersink Drill $\phi 7.6$	1
7	1200-1607	Proximal Drill $\phi 3.5/\phi 12.5^{\circ}210$	1
8	1200-1608	Drill Bit 4.3^{\circ}300	1
9	1200-1609	Drill Bit 4.3^{\circ}300 with Limiter	1
10	1200-1610	Drill Bit 4.8^{\circ}350	1
11	1200-1611	Drill Bit 4.8^{\circ}350 with Limiter	1
12	1200-1612	Slide Rod M8*1/SW11	1
13	1200-1613	Hammer Connector M8*1/SW11	1
14	1200-1614	Nail Remover M10/SW11	1
15	1200-1615	Cannulated Flexible Reamer $\phi 7.5$ mm	1
16	1200-1616	Cannulated Flexible Reamer $\phi 6.5$ mm	1
17	1200-1617	Cannulated Flexible Reamer $\phi 6.5$ mm	1
18	1200-1618	Cannulated Flexible Reamer $\phi 10.5$ mm	1
19	1200-1619	Cannulated Flexible Reamer $\phi 11.5$ mm	1
20	1200-1620	Cannulated Flexible Reamer $\phi 12.5$ mm	1
21	1200-1621	K-wire $\phi 3.2^{\circ}343$	3
22	1200-1622	Threaded K-wire $\phi 3.2^{\circ}343$	3
23	1200-1623	Depth Gauge 10-110mm	1
24	1200-1624	Depth Gauge 19-90mm	1
25	1200-1625	Star Screwdriver T25 Quick Coupling	1
26	1200-1626	T-handle Universal Hex Screwdriver SW8.0	1
27	1200-1627	L-wrench SW3	1
28	1200-1628	Handle Guide	1
29	1200-1629	Slide Hammer	1
30	1200-1630	Star Screwdriver T30	1
31	1200-1631	Star Screwdriver T25	1
32	1200-1632	End Cap Cannulated Star Screwdriver T25	1
33	1200-1633	Developing Calculator	1
34	1200-1634	Multi-hole Guide	1
35	1200-1635	Connect Bolt M10*107	2
36	1200-1636	Guide Pin Holding Device	1
37	1200-1637	Olive Guide Wire 3.0^{\circ}700mm	1
38	1200-1638	Handle Limited Bar	1
39	1200-1640	Aluminum Box	1

**Ulna & Radius Intramedullary Nail Instrument Set 1200-18**



NO	REF	Description	Qty
1	1200-1801	Drill Bit 2.8^{\circ}245mm	2
2	1200-1802	T-handle Drill Bit 3.1^{\circ}320mm	1
3	1200-1803	T-handle Drill Bit 3.1^{\circ}320mm	1
4	1200-1804	T-handle Tap 3.5^{\circ}110mm	1
5	1200-1805	Screwdriver SW2.5	1
6	1200-1806	Screwdriver SW2.5	1
7	1200-1807	Locking Bolt	1
8	1200-1808	Handle	1
9	1200-1809	Guide Sleeve $\phi 5.2$ mm	1
10	1200-1810	Drill Sleeve $\phi 2.8 \times \phi 5.2$ mm	1
11	1200-1811	Locking Pin $\phi 5.2$ mm	1
12	1200-1812	Sleeve	1
13	1200-1813	Nut	1
14	1200-1814	Proximal Targeting Device,Ulna	1
15	1200-1815	Proximal Targeting Device,Radius	1
16	1200-1816	Locking Screw	1
17	1200-1817	Drill Bit $\phi 6.1$ mm	1
18	1200-1818	Awl $\phi 6.1$ mm	1
19	1200-1819	Nail Tray	1
20	1200-1820	Aluminum Box	1